

ANALYTICA CHIMICA ACTA, VOL. 208 (1988)

AUTHOR INDEX

- Ahmad, A.S., see El-Khateeb, S.Z. 321
- Alexander, P.W.
—and Maitra, C.
Continuous-flow potentiometric determination of horseradish peroxidase with a fluoride-selective electrode 173
- Allen, T., see Duhart, B.T. 343
- Allison, J., see Bombick, D. 99
- Armstrong, D.W.
—, Han, Y.I. and Han, S.M.
Liquid chromatographic resolution of enantiomers containing single aromatic rings with β -cyclodextrin-bonded phases 275
- Assaad, H.N., see El-Khateeb, S.Z. 321
- Bachas, L.G., see Daunert, S. 43
- Berthod, A., see Ramis Ramos, G. 1
- Bloom, N.
—and Fitzgerald, W.F.
Determination of volatile mercury species at the picogram level by low-temperature gas chromatography with cold-vapour atomic fluorescence detection 151
- Bombick, D.
—and Allison, J.
Mass spectrometric analysis of polymers with potassium-ion ionization of desorbed species 99
- Bond, A.M.
—, Hudson, H.A., Mosby, V., Tan, S.N. and Walter, F.L.
A battery-powered, computerized instrument for the field-based determination of fluoride by the ion-selective electrode technique 195
- Bontempelli, G., see Ugo, P. 207
- Botros, N.
—and Huber, C.O.
Anodic amperometry and kinetics of 2-4-carbon glycols at the nickel electrode 247
- Buazewski, B.
—and Suprynowicz, Z.
High-density chemically bonded octadecyl phases on silica gels and their application in high-performance liquid chromatography 263
- Bye, R., see Wickström, T. 347
- Campiglia, A.D., see Laserna, J.J. 21
- Catrrall, R.W.
—, Deady, L.W., Tan, S.S. and Hamilton, I.C.
A cheap alternative to valinomycin for certain analyses with the potassium ion-selective electrode 283
- Cha, G.S.
—and Meyerhoff, M.E.
Homogeneous enzyme-linked competitive binding assay for riboflavin 31
- Chen, H., see Zou, G. 337
- Colmaja, A.L.
—and Östman, C.E.
Isolation and fingerprinting of some high-molecular-weight polynuclear aromatic compounds 183
- Comtat, M.
—, Galy, M., Goulas, P. and Soupe, J.
Amperometric bienzyme electrode for L-carnitine 295
- Copin, A.
—and Deleu, R.
Application de la chromatographie en phase gazeuse et de la spectrométrie de masse à la recherche des résidus de pendiméthaline dans les eaux 331
- Daniele, S., see Ugo, P. 207
- Daunert, S.
—, Bachas, L.G. and Meyerhoff, M.E.
Homogeneous enzyme-linked competitive binding assay for biotin based on the avidin-biotin interaction 43
- Deady, L.W., see Catrrall, R.W. 283
- Deleu, R., see Copin, A. 331
- Duhart, B.T.
—, Shaw, S., Wooley, M., Allen, T. and Grimes, C.
Determination of aflatoxins B₁, B₂, G₁ and G₂ by high-performance liquid chromatography 263

- graphy with electrochemical detection 343
- Dvořák, Z.
Flow injection determination of creatine in animal tissues 307
- El-Bardicy, M.G., see El-Khateeb, S.Z. 321
- El-Khateeb, S.Z.
—, Assaad, H.N., El-Bardicy, M.G. and Ahmad, A.S.
Determination of metformin hydrochloride in tablets by nuclear magnetic resonance spectrometry 321
- Fitzgerald, W.F., see Bloom, N. 151
- Galy, M., see Comtat, M. 295
- Garcia Alvarez-Coque, M.C., see Ramis Ramos, G. 1
- Goulas, P., see Comtat, M. 295
- Grimes, C., see Duhart, B.T. 343
- Haapakka, K.
—and Kulmala, S.
Cathodic electroluminescence at the terbium(III)-doped oxide-covered tantalum electrode and its feasibility for the determination of hydrogen peroxide 69
- Hamilton, I.C., see Cattrall, R.W. 283
- Han, S.M., see Armstrong, D.W. 275
- Han, Y.I., see Armstrong, D.W. 275
- Haraguchi, H., see Iwasaki, K. 163
- Hua, C., see Huiliang, H. 237
- Huber, C.O., see Botros, N. 247
- Hudson, H.A., see Bond, A.M. 195
- Huiliang, H.
—, Hua, C., Jagner, D. and Renman, L.
Computerized flow constant-current stripping analysis for nickel(II) and cobalt(II) with carbon fibre and modified carbon fibre electrodes 237
- Huiliang, H.
—, Jagner, D. and Renman, L.
Computerized flow constant-current stripping analysis for gold(III) with carbon or platinum fibre electrodes 301
- Imasaka, T.
—, Okazaki, T. and Ishibashi, N.
Semiconductor laser fluorimetry for enzyme and enzymatic assays 325
- Imasaka, T., see Kawabata, Y. 255
- Ishibashi, N., see Imasaka, T. 325
- Ishibashi, N., see Kawabata, Y. 255
- Iwasaki, K.
—and Haraguchi, H.
Determination of rare earth elements in geological samples by inductively-coupled plasma atomic emission spectrometry after oxalate coprecipitation and cation-exchange column separation 163
- Jagner, D., see Huiliang, H. 237, 301
- Kavlentis, E.
Application of the iron(III)/3,4-dihydroxybenzaldehyde 4-nitrophenylhydrazine complex for the analysis of sulphide/fluoride/phosphate mixtures by spectrophotometry or atomic absorption spectrometry 313
- Kawabata, Y.
—, Sauda, K., Imasaka, T. and Ishibashi, N.
Trace determination and characterization of some proteins in blood serum by high-performance liquid chromatography with a time-resolved laser fluorimetric detector 255
- Kawamura, T., see Nakata, R. 81
- Kolev, S.D.
—and Pungor, E.
Influence of the main parameters of single-line flow-injection systems without chemical reaction on the output signal. Part 1. Dispersion characteristics of the main sections of the flow system 117
- Kolev, S.D.
—and Pungor, E.
Influence of the main parameters of single-line flow-injection systems without chemical reaction on the output signal. Part 2. Simulation of the mathematical models 133
- Komatsubara, H., see Zenki, M. 317
- Kopanica, M., see Stará, V. 231
- Kubota, T.
—, Uchida, K., Ueda, T. and Okutani, T.
Determination of phosphorus by electrothermal atomic absorption spectrometry with a phosphorus hollow-cathode lamp as light source 351
- Kulmala, S., see Haapakka, K. 69

- Labuda, J.
—and Vanířková, M.
Anodic stripping voltammetry with mercury electrodes in extracts of cadmium, lead, thallium and indium diethyldithiocarbamate complexes and analysis of mixtures 219
- Laserna, J.J.
—, Campiglia, A.D. and Winefordner, J.D.
Surface-enhanced Raman spectrometry on a silver-coated filter paper substrate 21
- Lund, W., see Wickström, T. 347
- Maitra, C., see Alexander, P.W. 173
- Mazzocchin, G.-A., see Ugo, P. 207
- Meyerhoff, M.E., see Cha, G.S. 31
- Meyerhoff, M.E., see Daunert, S. 43
- Mishra, R.K., see Shukla, A. 91
- Mosby, V., see Bond, A.M. 195
- Nakata, R.
—, Kawamura, T., Sakashita, H. and Nitta, A.
Determination of ammonium ion in a flow-injection system with a gas-diffusion membrane. Selection of optimal conditions for the pH indicator 81
- Neeb, R., see Zou, G. 337
- Nitta, A., see Nakata, R. 81
- Nohta, H., see Umegae, Y. 59
- Ohkura, Y., see Umegae, Y. 59
- Okazaki, T., see Imasaka, T. 325
- Okutani, T., see Kubota, T. 351
- Östman, C.E., see Colmajs, A.L. 183
- Patel, K.S., see Shukla, A. 91
- Pungor, E., see Kolev, S.D. 117, 133
- Ramis Ramos, G.
—, García Alvarez-Coque, M.C., Berthod, A. and Winefordner, J.D.
Fluorescence in microemulsions and reversed micelles. A review and new results I
- Renman, L., see Huiliang, H. 237, 301
- Sakashita, H., see Nakata, R. 81
- Sauda, K., see Kawabata, Y. 255
- Sharma, A., see Wolfbeis, O.S. 53
- Shaw, S., see Duhart, B.T. 343
- Shi, R., see Zou, G. 337
- Shukla, A.
—, Patel, K.S. and Mishra, R.K.
Extraction-spectrophotometric determination of tungsten with thiocyanate and some amidines 91
- Soupe, J., see Comtat, M. 295
- Stará, V.
—and Kopanica, M.
Cathodic stripping voltammetry and adsorptive stripping voltammetry of selenium(IV) 231
- Suprynowicz, Z., see Buszewski, B. 263
- Suzuki, S., see Uchiyama, S. 287, 291
- Tamata, M., see Uchiyama, S. 287
- Tan, S.N., see Bond, A.M. 195
- Tan, S.S., see Cattrall, R.W. 283
- Tōei, K., see Zenki, M. 317
- Tofuku, Y., see Uchiyama, S. 287, 291
- Uchida, K., see Kubota, T. 351
- Uchiyama, S.
—, Tamata, M., Tofuku, Y. and Suzuki, S.
A catechol electrode based on spinach leaves 287
- Uchiyama, S.
—, Tofuku, Y. and Suzuki, S.
Flow-injection determination of L-ascorbate with cucumber juice as carrier 291
- Ueda, T., see Kubota, T. 351
- Ugo, P.
—, Daniele, S., Mazzocchin, G.-A. and Bontempelli, G.
Acid-base equilibria in organic solvents. Part 3. An absolute pH scale from proton basicity evaluated by cyclic voltammetry 207
- Umegae, Y.
—, Nohta, H. and Ohkura, Y.
1,2-diarylethylenediamines as fluorogenic reagents for catecholamines 59
- Vanířková, M., see Labuda, J. 219
- Walter, F.L., see Bond, A.M. 195
- Wickström, T.
—, Lund, W. and Bye, R.
The masking effect of iron(III) on the interference from nickel and copper in the determination of tellurium by hydride generation/atomic absorption spectrometry 347

- Winefordner, J.D., see Laserna, J.J. 21
Winefordner, J.D., see Ramis Ramos, G. 1
Wolfbeis, O.S.
—and Sharma, A.
Fibre-optic fluorosensor for sulphur dioxide 53
Wooley, M., see Duhart, B.T. 343
Xie, X., see Zou, G. 337
Zenki, M.
—, Komatsubara, H. and Tōei, K.

Determination of residual chlorine in tap water by flow-injection spectrophotometry 317

Zou, G.

—, Shi, R., Xie, X., Chen, H. and Neeb, R.
Determination of hydroquinone and metol in photographic developer by reversed-phase ion-pair chromatography with amperometric detection 337

ap
ne-

, R.
etol
ed-
am-



ANALYTICA CHIMICA ACTA

International journal devoted to all branches of analytical chemistry

(Abstracted, Indexed in: Anal. Abstr.; Biol. Abstr.; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Life Sci.; Index Med.; Mass Spectrom. Bull.; Sci. Citation Index; Excerpta Med.)

VOL. 208

CONTENTS

MAY 16, 1988

Spectrometric Methods

Fluorescence in microemulsions and reversed micelles. A review and new results G. Ramis Ramos, M.C. Garcia Alvarez-Coque, A. Berthod and J.D. Winefordner (Gainesville, FL, U.S.A.)	1
Surface-enhanced Raman spectrometry on a silver-coated filter paper substrate J.J. Laserna, A.D. Campiglia and J.D. Winefordner (Gainesville, FL, U.S.A.)	21
Homogeneous enzyme-linked competitive binding assay for riboflavin G.S. Cha and M.E. Meyerhoff (Ann Arbor, MI, U.S.A.)	31
Homogeneous enzyme-linked competitive binding assay for biotin based on the avidin-biotin interaction S. Daunert, L.G. Bachas (Lexington, KY, U.S.A.) and M.E. Meyerhoff (Ann Arbor, MI, U.S.A.)	43
Fibre-optic fluorosensor for sulphur dioxide O.S. Wolfbeis and A. Sharma (Graz, Austria)	53
1,2-diarylethylenediamines as fluorogenic reagents for catecholamines Y. Umegae, H. Nohta and Y. Ohkura (Fukuoka, Japan)	59
Cathodic electroluminescence at the terbium(III)-doped oxide-covered tantalum electrode and its feasibility for the determination of hydrogen peroxide K. Haapakka and S. Kuimela (Turku, Finland)	69
Determination of ammonium ion in a flow-injection system with a gas-diffusion membrane. Selection of optimal conditions for the pH indicator R. Nakata, T. Kawamura, H. Sakashita and A. Nitta (Fukui, Japan)	81
Extraction-spectrophotometric determination of tungsten with thiocyanate and some amidines A. Shukla, K.S. Patel and R.K. Mishra (Raipur, India)	91
Mass spectrometric analysis of polymers with potassium-ion ionization of desorbed species D. Bombick and J. Allison (East Lansing, MI, U.S.A.)	99

General Analytical Chemistry

Influence of the main parameters of single-line flow-injection systems without chemical reaction on the output signal. Part 1. Dispersion characteristics of the main sections of the flow system S.D. Kolev and E. Pungor (Budapest, Hungary)	117
Influence of the main parameters of single-line flow-injection systems without chemical reaction on the output signal. Part 2. Simulation of the mathematical models S.D. Kolev and E. Pungor (Budapest, Hungary)	133
Determination of volatile mercury species at the picogram level by low-temperature gas chromatography with cold-vapour atomic fluorescence detection N. Bloom (Sequim, WA, U.S.A.) and W.F. Fitzgerald (Groton, CN, U.S.A.)	151
Determination of rare earth elements in geological samples by inductively-coupled plasma atomic emission spectrometry after oxalate coprecipitation and cation-exchange column separation K. Iwasaki (Yokohama, Japan) and H. Haraguchi (Tokyo, Japan)	163
Continuous-flow potentiometric determination of horseradish peroxidase with a fluoride-selective electrode P.W. Alexander and C. Maitra (Kensington, N.S.W., Australia)	173
Isolation and fingerprinting of some high-molecular-weight polynuclear aromatic compounds A.L. Colmsjö (Solna, Sweden) and C.E. Östman (Stockholm, Sweden)	183

(Continued overleaf)

(Contents continued)

Electrometric Methods

A battery-powered, computerized instrument for the field-based determination of fluoride by the ion-selective electrode technique A.M. Bond, H.A. Hudson, V. Mosby, S.N. Tan and F.L. Walter (Waurin Ponds, Vic., Australia)	195
Acid-base equilibria in organic solvents. Part 3. An absolute pH scale from proton basicity evaluated by cyclic voltammetry P. Ugo, S. Daniele, G.-A. Mazzocchin (Venice, Italy) and G. Bontempelli (Udine, Italy)	207
Anodic stripping voltammetry with mercury electrodes in extracts of cadmium, lead, thallium and indium diethyldithiocarbamate complexes and analysis of mixtures J. Labuda and M. Vaničková (Bratislava, Czechoslovakia)	219
Cathodic stripping voltammetry and adsorptive stripping voltammetry of selenium(IV) V. Stará and M. Kopanica (Prague, Czechoslovakia)	231
Computerized flow constant-current stripping analysis for nickel(II) and cobalt(II) with carbon fibre and modified carbon fibre electrodes H. Huiliang, C. Hua, D. Jagner and L. Renman (Lund, Sweden)	237
Anodic amperometry and kinetics of 2-4-carbon glycols at the nickel electrode N. Botros and C.O. Huber (Milwaukee, WI, U.S.A.)	247

Separations

Trace determination and characterization of some proteins in blood serum by high-performance liquid chromatography with a time-resolved laser fluorimetric detector Y. Kawabata, K. Sauda, T. Imasaka and N. Ishibashi (Fukuoka, Japan)	255
High-density chemically bonded octadecyl phases on silica gels and their application in high-performance liquid chromatography B. Buszewski and Z. Suprynowicz (Lublin, Poland)	263
Liquid chromatographic resolution of enantiomers containing single aromatic rings with β -cyclodextrin-bonded phases D.W. Armstrong, Y.I. Han and S.M. Han (Rolla, MO, U.S.A.)	275

Short Communications

A cheap alternative to valinomycin for certain analyses with the potassium ion-selective electrode R.W. Cattrall, L.W. Deady, S.S. Tan (Melbourne, Vic., Australia) and I.C. Hamilton (Newcastle, N.S.W., Australia)	283
A catechol electrode based on spinach leaves S. Uchiyama, M. Tamata, Y. Tofuku and S. Suzuki (Saitama, Japan)	287
Flow-injection determination of L-ascorbate with cucumber juice as carrier S. Uchiyama, Y. Tofuku and S. Suzuki (Saitama, Japan)	291
Amperometric bienzyme electrode for L-carnitine M. Comtat, M. Galy (Toulouse, France), P. Goulas and J. Soupe (Artix, France)	295
Computerized flow constant-current stripping analysis for gold(III) with carbon or platinum fibre electrodes H. Huiliang, D. Jagner and L. Renman (Lund, Sweden)	301
Flow-injection determination of creatine in animal tissues Z. Dvořák (Brno, Czechoslovakia)	307
Application of the iron(III)/3,4-dihydroxybenzaldehyde 4-nitrophenylhydrazon complex for the analysis of sulphide/fluoride/phosphate mixtures by spectrophotometry or atomic absorption spectrometry E. Kavrentis (Thessaloniki, Greece)	313
Determination of residual chlorine in tap water by flow-injection spectrophotometry M. Zenki, H. Komatsubara and K. Tōei (Okayama, Japan)	317

(Contents continued)

Determination of metformin hydrochloride in tablets by nuclear magnetic resonance spectrometry S.Z. El-Khateeb, H.N. Assaad, M.G. El-Bardicy and A.S. Ahmad (Cairo, Egypt)	321
Semiconductor laser fluorimetry for enzyme and enzymatic assays T. Imasaka, T. Okazaki and N. Ishibashi (Fukuoka, Japan)	325
Application de la chromatographie en phase gazeuse et de la spectrométrie de masse à la recherche des résidus de pentiméthaline dans les eaux A. Copin and R. Deleu (Gembloux, Belgium)	331
Determination of hydroquinone and metol in photographic developer by reversed-phase ion-pair chromatography with amperometric detection G. Zou, R. Shi, X. Xie and H. Chen (Nanjing, China) and R. Neeb (Mainz, F.R.G.)	337
Determination of aflatoxins B ₁ , B ₂ , G ₁ and G ₂ by high-performance liquid chromatography with electrochemical detection B.T. Duhart, S. Shaw, M. Wooley, T. Allen and C. Grimes (Pine Bluff, AR, U.S.A.)	343
The masking effect of iron(III) on the interference from nickel and copper in the determination of tellurium by hydride generation/atomic absorption spectrometry T. Wickstrøm, W. Lund (Oslo, Norway) and R. Bye (Aas, Norway)	347
Determination of phosphorus by electrothermal atomic absorption spectrometry with a phosphorus hollow-cathode lamp as light source T. Kubota, K. Uchida, T. Ueda and T. Okutani (Tokyo, Japan)	351
<i>Book Reviews</i>	357
<i>Author Index</i>	361